Senate File 299 - Introduced

SENATE FILE 299
BY GREINER

A BILL FOR

- 1 An Act concerning boiler inspections.
- 2 BE IT ENACTED BY THE GENERAL ASSEMBLY OF THE STATE OF IOWA:

S.F. 299

- 1 Section 1. Section 89.3, subsection 8, Code 2013, is amended 2 to read as follows:
- 8. Internal inspections Inspections of unfired steam
- 4 pressure vessels operating in excess of fifteen pounds per
- 5 square inch and low pressure steam boilers shall be conducted
- 6 once every two years. External inspections shall be conducted
- 7 annually at least once each calendar year. The inspections
- 8 conducted over each two-year period shall include an external
- 9 inspection conducted while the boiler is operating and an
- 10 internal inspection, where construction permits. No more than
- 11 one inspection shall be conducted over a six-month period.
- 12 An internal inspection of an unfired steam pressure vessel
- 13 or low pressure steam boiler may be required at any time by
- 14 the commissioner upon the observation by an inspector of
- 15 conditions, enumerated by the commissioner through rules,
- 16 warranting an internal inspection.
- 17 Sec. 2. Section 89.4, subsection 1, Code 2013, is amended by
- 18 adding the following new paragraphs:
- 19 NEW PARAGRAPH. j. An electric boiler with a water capacity
- 20 of six gallons or less that is used as an integral part of an
- 21 espresso coffee machine, cappuccino coffee machine, or cleaning
- 22 machine.
- 23 NEW PARAGRAPH. k. Continuous coil-type hot water boilers
- 24 used only for steam vapor cleaning, to which all of the
- 25 following apply:
- 26 (1) The size of the tubing or pipe, with no drums or
- 27 headers attached, does not exceed three-fourths of one inch in
- 28 diameter.
- 29 (2) Nominal water capacity of the boiler does not exceed six
- 30 gallons.
- 31 (3) Water temperature in the boiler does not exceed three
- 32 hundred fifty degrees Fahrenheit.
- 33 (4) Steam is not generated within the coil.
- 34 EXPLANATION
- 35 This bill provides for required inspections of unfired steam

S.F. 299

- 1 pressure vessels operating in excess of 15 pounds per square
- 2 inch to occur at least once a year. The bill provides that
- 3 such inspections shall include one internal inspection and one
- 4 external inspection in each two-year period. The bill provides
- 5 that such inspections shall occur no more than once every six
- 6 months. The bill also applies this requirement to low pressure
- 7 steam boilers.
- 8 The bill provides for two additional exemptions from
- 9 Code chapter 89 governing boilers and unfired steam pressure
- 10 vessels. The bill exempts an electric boiler with a water
- 11 capacity of six gallons or less that is used as an integral
- 12 part of an espresso coffee machine, cappuccino coffee machine,
- 13 or cleaning machine. The bill also exempts continuous
- 14 coil-type hot water boilers used only for steam vapor cleaning
- 15 that meet certain criteria.